

TEMPORARY

NO. 73413-T

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office OCT 31 2005

Returned to applicant for correction _____

Corrected application filed _____

Map filed JAN 30 1987 under 50556

The applicant **LYON COUNTY, c/o Lyon County Utilities** hereby makes application for permission to change the **Place of Use and Manner of Use of a Portion** of water heretofore appropriated under **Permit 50557**

1. The source of water is **Underground**
2. The amount of water to be changed **0.17 cfs NTE 25 AFA**
3. The water to be used for **Construction Purposes**
4. The water heretofore permitted for **Quasi-Municipal & Domestic**
5. The water is to be diverted at the following point **NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 27, T. 16 N., R. 21 E., M.D.B. & M. or at a point from which the SE corner of said Section 27 bears S. 15° 34' 06" E., a distance of 1789 feet.**
6. The existing permitted point of diversion is located within **No Change**
7. Proposed place of use **Portions of the SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 26; portions of the SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ SE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 27, all within T. 16 N., R. 21 E., M.D.B. & M.**
8. Existing place of use **SE $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$ Section 28; SW $\frac{1}{4}$, portions of the W $\frac{1}{2}$ SE $\frac{1}{4}$ Section 27; portions of the N $\frac{1}{2}$ NW $\frac{1}{4}$ Section 34; N $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 33, T. 16 N., R. 21 E., M.D.B. & M.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works. **drilled and cased well, pump, motor and distribution system.**
12. Estimated cost of works **\$100,000.00**
13. Estimated time required to construct works **Completed under Permit 50557**
14. Estimated time required to complete the application of water to beneficial use **One (1) year**
15. Remarks: **PLEASE SEE ATTACHED**

CHUCK ZIMMERMAN

By **s/Robert Hunt for**
3264 Goni Road, Suite 153
Carson City, NV 89706

Compared sg/dr dl/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This temporary permit to change the place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 50557 is issued subject to the terms and conditions imposed in said Permit 50557 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This temporary permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this temporary permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

This temporary permit is issued pursuant to the provisions of NRS 533.345 Section 2 and will expire on **October 21, 2006** at which time all rights herein granted shall revert to the right being changed by this temporary permit.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.17 cubic feet per second, **but not to exceed 25.0 acre-feet annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A - Temporary

Proof of completion of work shall be filed on or before:

N/A - Temporary

Water must be placed to beneficial use on or before:

N/A - Temporary

Proof of the application of water to beneficial use shall be filed on or before:

N/A - Temporary

Map in support of proof of beneficial use shall be filed on or before:

N/A - Temporary

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 27th day of January, A.D. 2006



State Engineer

Temporary Application**Question #15:**

This Temporary Application is required for the completion of Phase 1 and will replace Temporary Application 71475T, which will expire October 21, 2005.

Water will be pumped from a stand pipe and used for construction purposes, grading and dust suppression for the balance of Phase 1 of Santa Maria Ranch Subdivision Development, within APN 16-261-05. There are several lots still requiring grading and water is still required for dust suppression.

For Proposed and Existing Point of Diversion and Existing Place of Use, please refer to map filed in support of Application 50556.

For Proposed Place of Use, please refer to attached Support Map of Phase 1 Santa Maria Ranch Subdivision.